

How-to

This How-to section of the Knowledge Base space is for providing a growing collection of guidance and solutions to configuration issues that you might come across in your installation, implementation or configuration of your Ubisecure Identity Server or Ubisecure Identity Cloud deployment. The How-to section often has Step-by-Step guides to achieve a particular configuration or solve a particular use-case.

If you do not yet find an answer corresponding to an issue that you are looking for, please contact our Support or Professional Services team. Our intention is to make this section grow to serve you with answers to any question you might come across. And for that, your participation by addressing us with questions is of course very important. So, your activity is very much appreciated.

[Add how-to article](#)

- SSO
 - [Add a logo to the bottom of SSO pages](#)
 - [Add certificate to the SAML metadata](#)
 - [Add logo to bottom of login pages](#)
 - [Bulk insert users and passwords to LDAP](#)
 - [Change hostname of Ubisecure SSO](#)
 - [Change SSO metadata certificate](#)
 - [Change the favicon icons](#)
 - [Check if a user has an active session via the back channel using session_index](#)
 - [Create a directory user mapping for SMS OTP](#)
 - [Customize Tomcat error messages](#)
 - [Disable assertion encryption](#)
 - [Disable SSLv3 from Tomcat](#)
 - [Disable unused SSO server components](#)
 - [Hide the Tomcat version number](#)
 - [Get an SMS receipt of delivery](#)
 - [Increase the SSO metadata certificate private key size](#)
 - [Install Sample SAML service provider application for Java](#)
 - [Install Tomcat server certificate](#)
 - [Integrate the first application to Ubisecure SSO](#)
 - [IDP Initiated SSO if SP doesn't initiate login](#)
 - [How to log a user in based on an existing session](#)
 - [Show different help text depending on the application used](#)
 - [Show different UI text using the oidc display parameter](#)
 - [Show different UI texts depending on the template used](#)
 - [Reset the SSO system user password](#)
 - [Select different authentication methods using the acr_values parameter](#)
 - [Update SAML metadata of an authentication method with curl](#)
 - [How to log and trace OAuth2 and OpenID Connect HTTP messages](#)
 - [Use an SMS gateway without utf-8 encoding](#)
 - [Use an SMS gateway that doesn't support UTF-8 encoding](#)
 - [Use SAML2 AuthnContextClassRef in IDP Proxy situations](#)
 - [Verify the email address of a user](#)
 - [Verify the phone number of a user](#)
 - [Use the Ubisecure SSO Management API with curl](#)
 - [Use Directory User Mapping with SQL databases](#)
 - [Use both a social network and strong authentication with User Driven Federation](#)
 - [Use an unsolicited SSO or an IDP initiated SSO](#)
 - [Update the SSO signing and encryption key](#)
 - [Update SAML metadata that include multiple SAML entities](#)
 - [Get the signing certificate fingerprint](#)
 - [How to add self-signed certificate to Java trust store on Windows](#)
 - [How to create an Authentication Provider for Office365](#)
 - [Request specific methods from the suomi.fi authentication service](#)
 - [Use Redis with Identity Server](#)
 - [How to install and configure Redis for Identity Server](#)
 - [Disable encryption of SAML logout requests](#)
- CustomerID
 - [Reset the CustomerID administrator account password](#)
 - [Add Organizations/Users to Ubisecure extranet](#)
 - [Change the hostname of a CustomerID installation](#)
 - [Configure CustomerID user registration for Office365 account linking](#)
 - [Create CustomerID links with a preselected authentication method](#)
 - [Handle user invitations via CustomerID REST API](#)
 - [Put emojis in CustomerID messages](#)
 - [Configure Wildfly using https when redirecting](#)
- Miscellaneous
 - [Change Virtu signing certificate](#)
 - [Create an SSH public key using puttygen](#)
 - [Determine DLL file version numbers](#)
 - [Determine IIS6 web agent version number](#)
 - [Disable IIS agent temporarily](#)
 - [Get Access to Download Binaries](#)
 - [Upgrade and migrate to new version of PostgreSQL](#)
 - [Verify user has received an SMS](#)

If you do not yet find an answer corresponding to an issue that you are looking for, please contact our Support or Professional Services team.