

Configuration - CustomerID

This section describes the configuration options available in Ubisecure CustomerID.

- [Configuration changes in versions - CustomerID](#)
- [Configuration files - CustomerID](#)
 - [backend.properties configuration file - CustomerID](#)
 - [Backend query configuration - CustomerID](#)
 - [eidm2.properties configuration file - CustomerID](#)
 - [Authentication methods properties - CustomerID](#)
 - [User and organization attributes - CustomerID](#)
 - [Organization roles configuration - CustomerID](#)
 - [Role hierarchy rules - CustomerID](#)
 - [REST API configuration options - CustomerID](#)
 - [Confirmation properties - CustomerID](#)
 - [Create user workflow configuration - CustomerID](#)
 - [Self-registration workflow configuration - CustomerID](#)
 - [Mandate configuration - CustomerID](#)
 - [General properties - CustomerID](#)
 - [Notification properties - CustomerID](#)
 - [User properties - CustomerID](#)
 - [User interface properties - CustomerID](#)
 - [Expiration periods - CustomerID](#)
 - [Reminder periods - CustomerID](#)
 - [Worker sleep periods - CustomerID](#)
 - [Settings related to Ubisecure SSO - CustomerID](#)
 - [protection.properties configuration file - CustomerID](#)
 - [Protection URL configuration - CustomerID](#)
 - [validation.json configuration file - CustomerID](#)
 - [Validation configuration - CustomerID](#)
 - [permissions.properties configuration file - CustomerID](#)
 - [Internal access control \(permissions\) - CustomerID](#)
 - [jndi.properties configuration file - CustomerID](#)
- [Customization - CustomerID](#)
 - [Configuration files related to customization - CustomerID](#)
 - [Locale configuration - CustomerID](#)
 - [Role descriptions - CustomerID](#)
 - [User interface texts - CustomerID](#)
 - [Email text localization - CustomerID](#)
 - [Custom CSS styling - CustomerID](#)
 - [Terms and conditions files - CustomerID](#)
 - [Help files - CustomerID](#)
 - [Country list configuration - CustomerID](#)
 - [Logo configuration - CustomerID](#)
- [Mail server connection configuration - CustomerID](#)
- [Logging configuration - CustomerID](#)
- [Authorization configuration - CustomerID](#)