

# Configuration changes in versions - CustomerID

## About This Page

This page describes the configuration changes that have been made between different Ubisecure CustomerID versions (from version 2.10.0 onward). The intended audience for this documentation is system administrators and system integrators. This page presumes basic knowledge of Ubisecure CustomerID configuration.



**TIP:** Star is used as a wildcard to indicate all property keys that begin with the given string. For example, `mandates.*` means all property keys which start with the text `mandates`.

## Ubisecure CustomerID 5.5.3

### eidm2.properties

Removed keys:

```
general.unsecure.debuglog.include.rest.password
```

`general.unsecure.debuglog.include.rest.password` configuration key is removed due to its insecure nature of making queried passwords logged in the debug log file.

## Ubisecure CustomerID 5.5.2

### messages\_xx.properties



`general.ui.confirm.removeole` is replacing `general.ui.actions.removeole` as part of making message keys case-insensitive. This does not affect old `general.ui.actions.removeRole`.

New keys:

```
general.ui.confirm.removeole = Are you sure you want to remove this role
```

## Ubisecure CustomerID 5.4.1

### messages\_xx.properties

New keys:

```
admin.approval.organizationBranch
```

## Ubisecure CustomerID 5.4.0

### backend.properties

New variables:

```
use-as-key
```

### eidm2.properties

New keys:

```
general.unsecure.debuglog.include.rest.password
registration.N.logout.when.cancel
registration.N.cancel.returnurl
```

## messages\_xx.properties

New keys:

```
admin.frontpage.organizations.noread
admin.usertab.users.nolist
admin.title.notAuthorized
admin.message.notAuthorized.feedback
backend.error
error.title.preExistingAccountLink
error.message.preExistingAccountLink
EmailChangePasswordWizard.confirmationmessage.notenabled.feedback
FeedbackMessage.CSS.
error
value "feedbackerror" for all languages if you use our default CSS.
FeedbackMessage.CSS.
info
value "feedbackinfo" for all languages if you use our default CSS.
general.ui.actions.addRolesUser
general.ui.errors.password.maxLength
```

Note: Use

Note: Use

## mailmessages.properties

New keys:

```
email.userDenialMandateInviters.enabled
email.userDenialMandateInviters.subject
email.userDenialMandateInviters.message
email.userDenialRoleInviters.enabled
email.userDenialRoleInviters.subject
email.userDenialRoleInviters.message
email.userRegistrationInviters.enabled
email.userRegistrationInviters.subject
email.userRegistrationInviters.message
email.userSelfDenialMandateInviters.enabled
email.userSelfDenialMandateInviters.subject
email.userSelfDenialMandateInviters.message
email.userSelfDenialRoleInviters.enabled
email.userSelfDenialRoleInviters.subject
email.userSelfDenialRoleInviters.message
```

Removed keys:

```
email.userDenialInviters.enabled
email.userDenialInviters.subject
email.userDenialInviters.message
email.userSelfDenialInviters.enabled
email.userSelfDenialInviters.subject
email.userSelfDenialInviters.message
```

## Ubisecure CustomerID 5.3.0

### eidm2.properties

Locale defaults have changed. We don't include default Finnish language texts any more so the locale defaults also include only English.

## messages\_xx.properties

New keys:

```
admin.approval.roleRemovalDenying
admin.approval.userstatus.waitingforregistration
admin.roleApproval.roleRemovalApproved
admin.roleApproval.roleRemovalRejected
admin.userInfo.pending
admin.userInfo.locked
admin.userInfo.waitingForRegistration
admin.userInfo.personal.confirmUDFUnlink
admin.userInfo.federation
admin.userInfo.federation.removed
admin.userInfo.linkAlreadyRemoved
admin.userInfo.linkRemovalFailed
admin.userInfo.unlink
error.action.pendingUserRoleAction
general.ui.status
selfService.personal.confirmUDFUnlink
selfService.personal.federation
selfService.personal.federation.removed
selfService.personal.linkAlreadyRemoved
selfService.personal.linkRemovalFailed
selfService.personal.unlink
```

Removed:

messages\_fi.properties removed from default setup.

Removed keys:

```
EmailDatabaseValidator
general.ui.suborganization
selfService.personal.emailDuplicate
```

## permission.properties

New keys:

```
user.edit.method.<Authentication Method Technical Name>
user.read.personal.method.<Authentication Method Technical Name>
self.edit.method.<Authentication Method Technical Name>
self.read.method.<Authentication Method Technical Name>
```

Removed keys:

```
self.edit.otp
self.edit.password
self.edit.sms
self.read.otp
self.read.password
self.read.sms
user.edit.otp
user.edit.password
user.edit.sms
user.read.personal.otp
user.read.personal.password
user.read.personal.sms
```

## Ubisecure CustomerID 5.2.13

### messages\_xx.properties

New keys:

```
newPassword  
oldPassword.CurrentPasswordValidatorImpl
```

## Ubisecure CustomerID 5.2.12

### eidm2.properties

Changed keys:

```
password.reset.expiration (supported values have been changed)
```

New keys:

```
general.accepted.origin.whitelist  
notification.email.format.html  
ui.role.invite.message.enabled  
ui.user.search.attribute.names  
ui.user.search.strategy
```

### messages\_xx.properties

New keys:

```
inputField.FixedCompanyIdValidatorAdapter
```

Removed keys:

```
roleInviteWizard.inputemail.wrongOrganization
```

## Ubisecure CustomerID 5.1.x

### backend.properties

Removed variables:

```
use-as-key (error messages are always used as keys)
```

### eidm2.properties

Removed keys:

```
mandate.roles.required (functionality is no longer available)
```

### mailmessages.properties

Role name variables have changed in several messages:  
Changed variables:

```
role_<locale> -> roles_<locale>
```

New variables:

```
rolesFull_<locale>
```

## Ubisecure CustomerID 5.0.x

### eidm2.properties

Changed keys:

```
confirmation.lockout.duration.mobile (supported values have changed)
confirmation.lockout.duration.email (supported values have changed)
organization.class.default -> organization.type.default
organization.class.default.virtual -> organization.type.defaultvirtual
organization.class.name.N -> organization.type.name.N
organization.class.<type name>.N -> organization.type.<type name>.N
organization.class.<type name>.restrictedRoleInvite -> organization.type.<type name>.restrictedRoleInvite
registration.N.newuseronly (default value has changed)
registration.N.organizations (supported values have changed)
role.hierarchy.N.source.organization.class -> role.hierarchy.N.source.organization.type
role.hierarchy.N.target.organization.class -> role.hierarchy.N.target.organization.type
```

Removed keys:

```
data.organization.fields (we only support untyped custom attributes)
data.user.fields (we only support untyped custom attributes)
general.use.url.encryption (we don't support configurable URL encryption anymore)
logo.* (all logo properties have been replaced with message keys)
mandate.roles.followmembership(removed because was based on removed organization group functionality)
rest.ip.allowed (handle in network equipment or proxies)
role.hierarchy.N.source.organization.member(removed because was based on removed organization group functionality)
role.hierarchy.N.target.organization.member(removed because was based on removed organization group functionality)
```

New keys:

```
data.attribute.country
registration.N.summary.enabled
```

### logging.properties

This configuration file is not present anymore. Logging is configured via WildFly.

### mailmessages.properties

New keys:

```
email.mandateRemovedPerson.inviter
email.mandateRemovedOrganization.inviter
email.mandateRemovedPerson.invitee
email.mandateRemovedOrganization.invitee
```

Removed keys:

```
email.mandateRemovedPerson
email.mandateRemovedOrganization
```

Role name variables have changed in several messages:

## messages\_xx.properties

Changed keys:

```
general.ui.organizationclass -> general.ui.organizationtype
organizationclass -> organizationtype
organization.class -> organization.type
PasswordStrengthValidator.minLength -> general.ui.errors.password.minLength
PasswordStrengthValidator.pattern -> general.ui.errors.password.pattern
FixedSSNValidator -> general.ui.errors.invalidssn
UsernameValidator -> general.ui.errors.illegalusername
UniqueAttributeValidator.internal.error -> general.ui.errors.internalerror
UniqueAttributeValidator -> general.ui.errors.notunique
RequiredValidator -> general.ui.errors.required
FixedCompanyIdValidator -> general.ui.errors.illegalcompanyid
```

New keys:

```
actions.null
CreateUserWizard.acceptTermsLinkLabel
CreateUserWizard.activated
CreateUserWizard.confirmation.summary
CreateUserWizard.deactivateMethod
CreateUserWizard.inputuser.summary
general.ui.errors.accepttermsrequired
general.ui.errors.invalidpattern
logo
logo.admin
logo.changepassword
logo.error
logo.feedback
logo.self-service
organizationType.null
TabbedPanel.CSS.selected
```

Note: Use value "selected" for all languages if you use our default CSS.

Removed keys:

```
general.ui.organizationgroup
```

## Ubisecure CustomerID 4.6.0

No changes to configuration files.

## Ubisecure CustomerID 4.5.0

## eidm2.properties

Removed keys:

```
registration.N.concatenate.companyidandssn (functionality is no longer available)
```

## messages\_xx.properties

```
roleInviteWizard.stepText.5  
roleInviteWizard.message.header
```

The above keys were removed because the separate mail step from role invitation wizard was removed. This change also affects the role invite wizard step numbering and hence in all existing CustomerID installations the message key for 'roleInviteWizard.stepText.4' should be updated to contain the message previously used in key 'roleInviteWizard.stepText.5'.

## Ubisecure CustomerID 4.4.0

No changes to configuration files

## Ubisecure CustomerID 4.3.0

### eidm2.properties

New keys:

```
registration.N.methods
```

Removed keys:

```
registration.N.password.enable (replaced by registration.N.methods)  
registration.N.methods.available (replaced by registration.N.methods)  
registration.N.methods.required (replaced by registration.N.methods)
```

### messages\_xx.properties

Changed keys:

```
registerWizard.smsOtp -> registerWizard.ubikey.sms.1  
registerWizard.otpPrintout -> registerWizard.ubikey.otp.1
```

New keys:

```
registerWizard.tupas.test.1  
registerWizard.tupas.op.1  
registerWizard.password.2  
registerWizard.tupas.nordea.1  
registerWizard.tupas.sampo.1  
registerWizard.tupas.sppop.1  
registerWizard.tupas.tapiola.1  
registerWizard.tupas.alandsbanken.1  
registerWizard.tupas.handelsbanken.1  
registerWizard.tupas.spankki.1
```

# Ubisecure CustomerID 4.2.0

## eidm2.properties

Changed keys:

```
registration.N.confirmation.fields -> registration.N.summary.fields  
registration.N.confirmation.requirePrinting -> registration.N.summary.requirePrinting  
registration.N.confirmation.backend -> registration.N.summary.backend
```

New keys:

```
confirmation.code.length.email  
confirmation.code.length.mobile  
confirmation.lockout.duration.email  
confirmation.lockout.duration.mobile  
confirmation.lockout.threshold.email  
confirmation.lockout.threshold.mobile  
registration.N.use.samlap.with.returnurl
```

Removed keys:

```
mandate.backend.class  
mandate.backend.searchparameter  
mandate.backend.url  
registration.N.email.disabled (replaced already earlier by registration.N.email.confirmation)  
registration.N.backend.customerinformation.class  
registration.N.backend.customerinformation.url  
registration.N.backend.customerinformation.searchparameter  
registration.N.backend.update.class  
registration.N.backend.update.url  
registration.N.backend.update.servicesystem  
registration.N.backend.update.clientsystem  
registration.N.backend.update.servicecode
```

## mailmessages\_xx.properties

Support for workflow specific email messages. Check configuration guide for further information.

## messages\_xx.properties

Changed keys:

```
general.ui.errors.mobileNumberNotVerified -> general.ui.errors.mobileNumberNotConfirmed  
selfService.personal.badVerificationLockout -> selfService.personal.badConfirmationLockout  
selfService.personal.mobileVerificationFailed -> selfService.personal.mobileConfirmationFailed  
sms.verification.message -> sms.confirmation.message
```

New keys:



```
admin.access.organizations.denied
admin.roleinvitation.organization.tooltip
admin.roleinvitation.user.companyid.tooltip
admin.roleinvitation.user.email.tooltip
admin.roleinvitation.user.firstname.tooltip
admin.roleinvitation.user.locale.tooltip
admin.roleinvitation.user.login.tooltip
admin.roleinvitation.user.mobile.tooltip
admin.roleinvitation.user.organization.tooltip
admin.roleinvitation.user.ssn.tooltip
admin.roleinvitation.user.surname.tooltip
admin.roleinvitation.user.tupasname.tooltip
email.pin.helpText
email.pin.info
email.pin.title
error.message.userNotEnabled
error.title.userNotEnabled
general.ui.errors.confirmationValueEmpty
general.ui.errors.emailNotConfirmed
selfService.personal.emailConfirmationFailed
```

#### Removed keys:

```
general.ui.confirmEmail
general.ui.confirmMobile
OrgToOrgMandateWizard.householdMemberTitle
OrgToPerMandateWizard.householdMemberTitle
PerToOrgMandateWizard.householdMemberTitle
PerToPerMandateWizard.householdMemberTitle
PerToPerMandateWizard.householdMember.tooltip
```

## permissions.properties

#### New keys:

```
access.admin.approvals
access.admin.organizations
access.admin.users
```

## Ubisecure CustomerID 4.1.0

## eidm2.properties

#### New keys:

```
methods.external
passwordrecovery.protection.configuration
registration.N.verification.protection.configuration
ui.createuser.roleadd.enabled
```

#### Removed keys:

```
general.ssn.validation.enabled
registration.N.tupas.disabled
registration.N.tupas.storessn
user.mobile.pattern
```

## eidm2-authorizer.properties

Removed keys:

```
eidm2.db.provider
```

## mailmessages\_xx.properties

New configuration file support. It is now possible to define language specific email messages.

## messages\_xx.properties

Changed keys:

```
admin.approval.name.tooltip -> admin.approval.user.name.tooltip  
admin.approval.firstname.tooltip -> admin.approval.user.firstname.tooltip  
admin.approval.surname.tooltip -> admin.approval.user.surname.tooltip  
admin.approval.login.tooltip -> admin.approval.user.login.tooltip  
admin.approval.email.tooltip -> admin.approval.user.email.tooltip  
admin.approval.mobile.tooltip -> admin.approval.user.mobile.tooltip  
admin.approval.ssn.tooltip -> admin.approval.user.ssn.tooltip  
admin.approval.tupasname.tooltip -> admin.approval.user.tupasname.tooltip  
admin.approval.noApprovals -> admin.approval.noUserApprovals  
admin.roleApproval.noApprovals -> admin.approval.noRoleApprovals  
selectAuthenticationMethodStep.title -> userVerificationStep.title
```

New keys:

```
admin.approval.actions  
admin.approval.user.companyid.tooltip  
admin.approval.user.locale.tooltip  
admin.approval.user.organization.tooltip  
admin.user.createUser.title  
field.UsernameValidatorAdapter  
general.ui.errors.mobileNumberInvalid  
inputField.UsernameValidatorAdapter  
registerWizard.verifiedIdentityValidationFailed.feedback  
selfService.personal.badVerificationLockout  
tooltip.user.attribute.modification.locale  
user.cn  
user.locale  
user.mobile.RegexpValidator
```

Removed keys:

```
admin.approval.name  
admin.approval.actions
```

## style-colors.css -> style.css

We now have only a single style file that can be overwritten if needed. That file is now style.css. Previously there was two style files and one of them could be completely overwritten. That file was style-colors.css. So you need to rename your custom style file in order for it to work if you use one.

## validation.json

New configuration file for defining user attribute validation rules.

## Ubisecure CustomerID 4.0.0

## backend.properties

New keys:

```
customerdata.transform
```

## eidm2.properties

New keys:

```
general.admin.organization.users.includerolemembers  
registration.N.email.confirmation
```

Deprecated keys:

```
registration.N.email.disabled
```

## mailmessages.properties

New keys:

```
email.inviteUserRenotify.user.enabled  
email.inviteUserRenotify.user.subject  
email.inviteUserRenotify.user.message
```

## messages\_xx.properties

New keys:

```
admin.roleInfo.confirmRoleRemove
```

## protection.properties

Keys with new features:

```
protection.N.methods (You can use a new short hand definition.)
```

# Ubisecure CustomerID 3.12.0

## eidm2.properties

Keys with new features:

```
registration.N.roles (JSON array notation including role approval definition)  
registration.N.roles.firstuser (JSON array notation including role approval definition)
```

New keys:

```
expire.roleaddition  
registration.N.newuseronly  
registration.N.protectiononly  
registration.N.protection.configuration  
ui.selfservice.roles.workflows
```

Removed keys:

```
registeremail.enabled
```

## mailmessages.properties

New keys:

email.inviteUser.role.enabled  
email.inviteUserRenotify.role.enabled  
email.inviteUser.mandate.p2p.enabled  
email.inviteUserRenotify.mandate.p2p.enabled  
email.inviteUser.mandate.p2b.enabled  
email.inviteUserRenotify.mandate.p2b.enabled  
email.inviteUser.mandate.b2p.enabled  
email.inviteUserRenotify.mandate.b2p.enabled  
email.inviteUser.mandate.b2b.enabled  
email.inviteUserRenotify.mandate.b2b.enabled  
email.userApprovalRequest.enabled  
email.userApprovalRequestRenotify.enabled  
email.userApproval.enabled  
email.userApprovalResetPassword.enabled  
email.userApprovalInviters.enabled  
email.userApprovalMandateInviters.enabled  
email.userDenial.enabled  
email.userSelfDenialInviters.enabled  
email.userDenialInviters.enabled  
email.userExpired.enabled  
email.userExpiredInviters.enabled  
email.roleInvite.enabled  
email.roleInviteRenotify.enabled  
email.roleApprovalRequest.enabled  
email.roleApprovalRemoveRequest.enabled  
email.roleApprovalRequestRenotify.enabled  
email.roleInvitationApproved.enabled  
email.roleInvitationDenied.enabled  
email.roleInvitationApproverApproved.enabled  
email.roleInvitationApproverDenied.enabled  
email.roleRemoveApproverApproved.enabled  
email.roleRemoveApproverDenied.enabled  
email.roleInvitationExpiredInviter.enabled  
email.roleInvitationExpiredInvitee.enabled  
email.mandateInvite.p2p.enabled  
email.mandateInviteRenotify.p2p.enabled  
email.mandateInvite.p2b.enabled  
email.mandateInviteRenotify.p2b.enabled  
email.mandateInvite.b2p.enabled  
email.mandateInviteRenotify.b2p.enabled  
email.mandateInvite.b2b.enabled  
email.mandateInviteRenotify.b2b.enabled  
email.mandateInvitationApproved.enabled  
email.mandateInvitationDenied.enabled  
email.mandateInvitationExpiredInviter.enabled  
email.mandateInvitationExpiredInvitee.enabled  
email.mandateRemovedPerson.enabled  
email.mandateRemovedOrganization.enabled  
email.pendingEmailConfirmation.enabled  
email.pendingEmailRegistration.enabled  
email.emailResetPassword.enabled  
email.roleAdditionNotification.enabled  
email.roleRemovalNotification.enabled  
email.userMoveNotification.enabled  
email.roleApproverApproved.enabled  
email.roleApproverApproved.subject  
email.roleApproverApproved.message  
email.roleApproverDenied.enabled  
email.roleApproverDenied.subject  
email.roleApproverDenied.message

Removed keys:

email.corporateRegisterEmail.subject  
email.corporateRegisterEmail.message

## messages\_xx.properties

New keys:

```
admin.approval.rolename  
admin.approval.userstatus  
admin.approval.userstatus.pending  
admin.approval.userstatus.enabled  
admin.approval.userstatus.disabled  
admin.approval.userstatus.locked  
admin.approval.userstatus.notinitialized  
error.title.protection.configuration.missing  
error.message.protection.configuration.missing  
general.ui.status.approved  
general.ui.status.rejected  
general.ui.status.expired  
registerWizard.newuserRequired.feedback  
registerWizard.protectionRequired.feedback  
selfService.roles.roleoperations.title  
selfService.roles.roleoperations.helptext  
selfService.roles.requestRoles.rolesRequestButton
```

## permissions.properties

New keys:

```
self.request.predefined.roles
```

## protection.properties

New keys:

```
protection.N.methods  
protection.N.sso.template  
protection.N.continue  
protection.N.customeriduseronly
```

## Ubisecure CustomerID 3.11.0

### eidm2.properties

Removed keys:

```
general.jdbc.datasource
```

### messages\_xx.properties

New keys:

```
admin.approval.confirmCancelUserInvitation  
userAddRoleWizard.selectrole.selected
```

## Ubisecure CustomerID 3.10.1

### eidm2.properties

Keys with new features:

```
registration.N.organizations (storeattributes JSON array notation)
```

## Ubisecure CustomerID 3.10.0

### eidm2.properties

New keys:

```
registration.N.confirmation.backend  
registration.N.confirmation.requirePrinting  
rest.inviter.email
```

### mailmessages.properties

New keys:

```
email.pendingUser.creation.enabled  
email.pendingUser.creation.subject  
email.pendingUser.creation.message
```

### permissions.properties

Keys with new features:

```
role.deassign
```

### messages\_xx.properties

New keys:

```
admin.approval.rolerequest  
countryPlaceholder  
general.ui.confirm.email  
general.ui.confirm.mobile  
general.ui.countries.fi  
general.ui.countries.en  
registerWizard.<workflow>.summary.input.N
```

## Ubisecure CustomerID 3.9.1

### mailmessages.properties

New keys:

```
email.pendingEmailRegistration
```

## Ubisecure CustomerID 3.9.0

### eidm2.properties

New keys:

```
registration.N.confirmation.fields  
registration.N.temporary.fields  
registration.N.wizard.back.enabled  
ui.show.poweredby
```

## permissions.properties

Changed keys:

```
self.method.read -> self.read (merges into)  
self.method.sms -> self.edit.sms  
self.method.otp -> self.edit.otp  
self.method.password -> self.edit.password
```

Keys with new features:

```
role.assign
```

New keys:

```
self.read.sms  
self.read.otp  
self.read.password
```

## messages\_xx.properties

New keys:

```
general.ui.delete  
registrationWizard.feedback.nullbackend.message  
registrationWizard.feedback.nullbackend.footer  
userAddRoleWizard.stepText.3  
userAddRoleWizard.selectuser.searchusers  
userAddRoleWizard.selectuser.searchusers.helptext  
userAddRoleWizard.selectuser.addSelectedUsersButton  
userAddRoleWizard.selectuser.removeSelectedUsersButton  
userAddRoleWizard.selectuser.noSelectedUsers  
userAddRoleWizard.selectuser.searchresult  
userAddRoleWizard.confirmation.mobile  
admin.userInfo.confirmAccountDelete  
admin.usersInfo.confirmAccountDelete  
error.message.userAlreadyAddedSelectedUsersList  
error.message.userPartlyAddedSelectedUsersList  
error.message.ssndoesnotmeetrequirements
```

Removed keys:

```
userAddRoleWizard.selectuser.summary  
admin.approval.confirmApproveUser
```

## Ubisecure CustomerID 3.8.1



## permissions.properties

New keys:

```
user.edit.password  
user.edit.otp  
user.edit.sms  
user.edit.accountstatus
```

## Ubisecure CustomerID 3.8.0

### permissions.properties

New keys:

```
user.mandates.remove
```

### messages\_xx.properties

New keys:

```
admin.userInfo.mandates.delegated  
admin.userInfo.mandates.delegated.tooltip  
admin.userInfo.mandates.noDelegatedMandates  
general.ui.filter  
selfService.mandates.delegated  
selfService.mandates.delegated.tooltip  
UniqueAttributeValidator
```

Changed keys:

```
admin.mandates.noMandates -> admin.mandates.noGivenMandates  
admin.mandates.noReceivedMandates  
admin.userInfo.mandates.noMandates -> admin.userInfo.mandates.noGivenMandates  
admin.userInfo.mandates.noInvitations -> admin.userInfo.mandates.noReceivedMandates  
selfService.mandates.noMandates -> selfService.mandates.noGivenMandates  
selfService.mandates.noReceivedMandates  
selfService.mandates.noDelegatedMandates
```

## Ubisecure CustomerID 3.7.2

### eidm2.properties

Removed keys:

```
general.authprovider.name  
selfservice.rolerequest.organization  
selfservice.rolerequest.recursive
```

New keys:

```
selfservice.rolerequest.homeorganization.only
```

## messages\_xx.properties

New keys:

```
admin.approval.organization.helpText  
admin.roles.noMatchingRoles  
general.ui.organizations.limited  
general.ui.errors.storingOrganizationMandatory  
general.ui.result.limited  
org.label.eidm  
org.label.eidm.plural  
requestRoleWizard.addRole.title  
requestRoleWizard.addRole.summary  
requestRoleWizard.addRole.role.title
```

## Ubisecure CustomerID 3.7.0

### eidm2.properties

Removed keys:

```
methods.password.title  
methods.password.expiring  
methods.encoding  
methods.otp.title  
methods.otp.window  
methods.otp.length  
methods.otp.list.length  
methods.sms.title  
worker.organizationcache
```

New keys:

```
ui.createuser.location
```

## messages\_xx.properties

Removed keys:

```
general.ui.actionsPanel
```

New keys:

```
general.ui.removeSelection
general.ui.search
createUserWizard.selectorganization.summary
createUserWizard.addroles.summary
EmailChangePasswordWizard.email.notfoundmessage.feedback
roleInviteWizard.selectorganization.noOrganizationSelected
roleInviteWizard.selectorganization.error
userAddRoleWizard.selectrole.noRoleSelected
selfService.personal.mobileDuplicate
selfService.personal.emailDuplicate
admin.user.tooManyInfo
admin.organizationSearch.tooMany
admin.userList.noUsersFound
error.title.savingPendingUserFailed
error.message.savingPendingUserFailed
error.message.databaseError
```

## Ubisecure CustomerID 3.6.0

### eidm2.properties

New keys:

```
ui.organization.roles.recursive
```

### messages\_xx.properties

New keys:

```
general.ui.errors.passwordcontainsfirstname
general.ui.errors.passwordcontainssurname
general.ui.suborganization
error.action.noroles
admin.roles.subOrgTitle
admin.roles.subOrgNoRoles
```

Changed keys:

```
admin.userSearch.* -> admin.user.*
```

## Ubisecure CustomerID 3.5.3

### eidm2.properties

New keys:

```
roleinvite.receiver.approval
```

## Ubisecure CustomerID 3.5.1

### eidm2.properties

Removed keys:

```
ui.admin.approvalinfo.fields.editable
```

New keys:

```
ui.admin.approvalinfo.fields.required
```

## permissions.properties

Changed keys:

```
user.list_users -> user.list  
user.list_approvals -> user.approval.read  
user.edit_approval -> user.approval.edit  
user.approve -> user.approval.approve
```

New keys:

```
self.read
```

## Ubisecure CustomerID 3.5.0

### eidm2.properties

Removed keys:

```
search.user.minimumLength  
admin.user.disable.removeroles  
role.invite.hidden.roles
```

Changed keys:

```
customerid -> customerid  
companyId -> companyid  
url.base -> general.url.base  
default.returnUrl -> general.default.returnUrl  
default.logoutReturnUrl -> general.default.logoutReturnUrl  
mail.session -> general.mail.session  
jdbc.datasource -> general.jdbc.datasource  
main.ldap.directory -> general.main.ldap.directory  
login.generation -> general.login.generation  
login.attribute -> general.login.attribute  
group.samaccountname.generation -> general.group.samaccountname.generation  
admin.organization.roles.restricted -> general.admin.organization.roles.restricted  
admin.organization.roles.protected -> general.admin.organization.roles.protected  
admin.organization.roles.reservednames -> general.admin.organization.roles.reservednames  
admin.user.roles.protected -> general.admin.user.roles.protected  
user.self.enable.account -> general.user.self.enable.account  
ssn.validation.enabled -> general.ssn.validation.enabled  
organization.name.oid -> general.organization.name.oid  
approval.reject.promptforreason -> general.approval.reject.promptforreason  
authprovider.enabled -> general.authprovider.enabled  
authprovider.name -> general.authprovider.name  
mandate.organization.link -> mandate.organization.registration
```

New keys:

```
mandate.receiver.approval
mandate.person.registration
mandate.validate.companyid
```

## messages\_xx.properties

### Removed keys:

```
general.ui.messages.role.delete.feedback
email
admin.userSearch.results
admin.userSearch.advancedSearch
admin.userSearch.simpleSearch
admin.userSearch.organization
admin.userSearch.name
admin.userSearch.email
admin.approval.inviter.email
admin.userList.orgtitle
```

### Changed keys:

```
user.customerId -> user.customerid
user.companyId -> user.companyid
applicationTitle -> general.ui.applicationTitle
userAddRoleWizard.stepText.2 (text changed)
admin.userInfo.fieldsetTitle (text changed)
admin.roles.addMessage (text changed)
admin.roles.removeMessage (text changed)
```

### New keys:

```
general.ui.actions
general.ui.checkuncheck
general.ui.emailaddress
general.ui.actions.addRole
general.ui.actions.removeRole
general.ui.actions.roleInvitation
general.ui.actions.deleteRole
general.ui.actions.deleteUser
general.ui.actions.approveUser
general.ui.actions.rejectUser
general.ui.actions.approveRole
general.ui.actions.rejectRole
general.ui.messages.userdeleted.feedback.number
general.ui.actions.approveDelete.confirm
general.ui.actions.approveApprove.confirm
general.ui.actions.roleApproveApprove.confirm
error.action.unknown
error.action.notdefined
error.action.nousers
mandates.delegates.amount.title
roleInviteWizard.roles
roleInviteWizard.rolesText
roleInviteWizard.users
roleInviteWizard.usersText
roleInviteWizard.message
OrgToOrgMandateWizard.id.multipleFound
OrgToPerMandateWizard.id.multipleFound
PerToOrgMandateWizard.id.multipleFound
PerToPerMandateWizard.id.multipleFound
userAddRoleWizard.stepText.3
userAddRoleWizard.selectuser.summary
userAddRoleWizard.selectuser.selected
userRemoveRoleWizard.title
userRemoveRoleWizard.stepText.1
userRemoveRoleWizard.stepText.2
userRemoveRoleWizard.selectrole.summary
admin.approval.pendingUserApprovedNumber
admin.approval.pendingUserRejectedNumber
admin.approval.massValidationFailed
admin.roleApproval.roleApprovedNumber
admin.roleApproval.roleRejectedNumber
admin.userInfo.personal.helpText
admin.userInfo.roles.helpText
admin.roles.removeMessageNumber
admin.userList.limitedByRole
admin.orgroles.addRole
```

## Ubisecure CustomerID 3.4.2

### eidm2.properties

Removed keys:

```
registration.N.activation.disabled
-> (uses registration.N.methods.available-key to decide if activation step should be visible)
createuser.userinfo.fields
createuser.userinfo.fields.required
adduser.A
adduser.A.registration
-> see chapter Error! Reference source not found. for more information about configuring create user workflows
```

New keys:

```
createuser.workflows
```

## Messages\_xx.properties

Removed keys:

```
admin.approval.tab.titleNumber  
admin.mandates.titleNumber  
admin.organizationListing.tooMany  
createUserWizard.stepText.1  
createUserWizard.stepText.2  
createUserWizard.stepText.3  
createUserWizard.stepText.4  
selfService.roles.titleNumber  
selfService.mandates.titleNumber
```

New keys:

```
admin.organizationListing.noSubOrganizations  
admin.userSearch.createUser.addUserButton  
admin.userSearch.createUser.helpText  
createUserWizard.stepText.ssn  
createUserWizard.stepText.input  
createUserWizard.stepText.activation  
createUserWizard.stepText.addroles  
createUserWizard.stepText.selectOrganization  
createUserWizard.stepText.summary  
general.ui.suborganizations
```

## Ubisecure CustomerID 3.4.1

### eidm2.properties

Changed keys:

```
admin.organizationinfo.fields.order
```

## Ubisecure CustomerID 3.4.0

### eidm2.properties

Removed keys:

```
policy.X  
policy.<name>.X These are configured in SSO Server management. See Error! Reference source not found..  
policy.<name>.X.attrs.X
```

Changed keys:

```
search.user.minimumLenght -> search.user.minimumLength
```

New keys:

```
general.requestcycle.timeout
approval.reject.promptforreason
ui.selfservice.userinfo.fields.order
ui.admin.userinfo.fields.order
ui.admin.organizationinfo.fields.order
ui.admin.approvalinfo.fields.order
ui.admin.approvalinfo.fields.editable
data.user.fields
data.organization.fields
```

## permissions.properties

New keys:

```
user.edit_approval
```

## messages\_xx.properties

Removed keys:

```
selfService.personal.mobile.tooltip
selfService.personal.email.tooltip
organizationMandateTemplateWizard.stepText.1
organizationMandateTemplateWizard.stepText.2
organizationMandateTemplateWizard.title
organizationMandateTemplateDetailsWizard.stepText.1
organizationMandateTemplateDetailsWizard.title
```

Changed keys:

```
registerWizard.tupasName -> registerWizard.tupasname
admin.approval.tupasName -> admin.approval.tupasname
```

New keys:



```
new
organization.friendlyname
organization.class
admin.approval.workflow
admin.approval.organizationName
admin.approval.organizationId
admin.approval.name.tooltip
admin.approval.firstname.tooltip
admin.approval.surname.tooltip
admin.approval.login.tooltip
admin.approval.email.tooltip
admin.approval.mobile.tooltip
admin.approval.ssn.tooltip
admin.approval.tupasname.tooltip
admin.approval.organization.tooltip
admin.approval.isVerified
admin.approval.notVerified
admin.approval.formSaved
admin.approval.roles
admin.approval.roles.helpText
admin.approval.addRoleButton
admin.organizationInfo.attributeUpdateFailed
error.email.confirmation
error.title.registrationWizard.config.unavailable
error.message.registrationWizard.config.unavailable
error.title.registrationWizard.config.disabled
error.message.registrationWizard.config.disabled
general.ui.confirmationCode
general.ui.reason
general.ui.headers.user.attributeModification
general.ui.headers.user.passwordModification
general.ui.headers.user.emailAttributeConfirmation
general.ui.headers.user.mobileAttributeConfirmation
general.ui.errors.mobileNumberEmpty
tooltip.user.attribute.confirmation.email
tooltip.user.attribute.confirmation.mobile
tooltip.user.attribute.modification.email
tooltip.user.attribute.modification.mobile
tooltip.user.attribute.modification.firstname
tooltip.user.attribute.modification.surname
tooltip.user.attribute.modification.login
tooltip.user.attribute.modification.ssn
reject.reason.title
reject.reason.reason
reject.reason.errormsg
selfService.personal.attributeUpdateFailed
```

## Ubisecure CustomerID 3.3.2

### eidm2.properties

New keys:

```
ui.support.organization.categories
ui.organization.listing.limit
```

### messages\_xx.properties

Removed keys:

```
roleInviteWizard.inputuser.summary.userfound
```

#### New keys:

```
admin.approval.tab.titleNumber
admin.approval.invitation.helpText
admin.approval.processInvitation
admin.approval.invitations.title
admin.approval.noInvitations
admin.organizationListing.tooMany
admin.organizationListing.tooManyInfo
admin.organizationSearch.helpText
admin.organizationSearch.search
admin.organizationSearch.searchButton
admin.organizationSearch.listAllButton
admin.organizationSearch.onlyExactMatches
admin.organizationSearch.refineSearch
admin.organizationSearch.resultInfo.0
admin.organizationSearch.resultInfo.1
admin.organizationSearch.resultInfo
```

## Ubisecure CustomerID 3.3.0

### eidm2.properties

#### Removed keys:

```
registration.N.password.set
registration.N.organization.registration
registration.N.roles.assign.absolute
registration.N.roles.assign
registration.N.roles.application
registration.N.virtualorganization.create
registration.N.virtualorganization.prefix
registration.N.virtualorganization.suffix
registration.N.virtualorganization.organizationclass
registration.N.organization.create
registration.N.organization.prefix
registration.N.organization.suffix
registration.N.organization.organizationclass
registration.N.organization.virtualmembership
```

#### Keys with new features:

```
registration.N.roles.firstuser
```

#### New keys:

```
registration.N.password.enable
registration.N.organizations
registration.N.roles
```

### permissions.properties

#### Keys with new behavior:

```
role.listusers
user.read.roles
role.deassign
```

## messages\_xx.properties

Removed keys:

```
organization.approvals
```

New keys:

```
selfService.personal.nosmsservice  
user.acceptTerms
```

## Ubisecure CustomerID 3.2.0

### eidm2.properties

Removed keys:

```
admin.user.delete.enabled
```

New keys:

```
ui.role.invite.userinfo.fields  
ui.role.invite.userinfo.optional  
ui.role.invite.userinfo.disabled  
general.move.roles.with.user
```

### permissions.properties

Removed keys:

```
user  
user.read  
organization  
role  
mandate  
self  
self.method  
self.mandate  
access.selfservice
```

Change permissions.properties to use child permissions instead.

## messages\_xx.properties

Removed keys:

```
general.ui.errors.logintooshort
roleInviteWizard.firstname
roleInviteWizard.surname
roleInviteWizard.organization
roleInviteWizard.organizationOrId
roleInviteWizard.location
roleInviteWizard.email
roleInviteWizard.mobile
registerWizard.firstname
registerWizard.surname
registerWizard.customerId
registerWizard.companyId
registerWizard.organization
registerWizard.location
registerWizard.email
registerWizard.confirmEmail
registerWizard.mobile
registerWizard.login
registerWizard.ssn
registerWizard.password
registerWizard.passwordConfirm
registrationWizard.feedback.cancel.message
registrationWizard.feedback.cancel.footer
```

## Ubisecure CustomerID 3.1.0

### eidm2.properties

Removed keys:

```
createuser.enabled
roleinvite.enables
addrole.enabled
```

Keys with new features:

```
Registration.N.userinfo.fields
```

New keys:

```
registration.N.userinfo.backend
data.attribute.mapping.<fieldname>
```

### messages\_xx.properties

Removed keys:

```
general.ui.lastname
*MandateWizard.lastname.tooltip
```

New keys:

```
general.ui.surname
*MandateWizard.surname.tooltip
general.ui.errors.ssndatemismatch
error.header.title
registerWizard.stepText.bankauth
registerWizard.stepText.activation
registerWizard.stepText.summary
registerWizard.<workflow-name>.stepText.input.X
backend.*
error.title.ssndoesnotmeetrequirements
error.message.ssndoesnotmeetrequirements
```

## backend.properties

New file for configuring backend connections.

## Ubisecure CustomerID 3.0.0

### eidm2.properties

Keys with new features:

```
registration.N.userinfo.fields
```

New keys:

```
organization.name.oid
uas.url
registration.N.targetApplication
registration.N.targetPath
```

### messages\_xx.properties

New keys:

```
general.ui.retry
error.title.general
error.message.general
error.title.notFound
error.message.notFound
```

## Ubilogin eIDM 2.12.0

### permissions.properties

New keys:

```
role.invite =
user.list_approvals =
role.list_approvals =
```

### eidm2.properties

Changed keys:

```
methods.sms.active -> methods.sms  
methods.sms.active.title -> methods.sms.title
```

New keys:

```
organization.class.CLASSNAME.restrictedRoleInvite  
email.user.move  
registration.N.inviteonly
```

## messages\_xx.properties

New keys:

```
general.ui.checkPin  
general.ui.resetValidation  
general.ui.errors.mobileNumberNotVerified  
registrationWizard.mobile.confirmation.help  
mobile.pin.title  
mobile.pin.helptext  
mobile.pin.info  
*MandateWizard.firstname.tooltip  
*MandateWizard.lastname.tooltip  
*MandateWizard.email.tooltip  
*MandateWizard.ssn.tooltip  
*MandateWizard.companyId.tooltip  
* = PerToPer, PerToOrg, OrgToPer and OrgToOrg
```